

Caig F5S-H6 DeoxIT Fader Moving Contact Lubricant



Caig RSF-R80-2 CAIG Rosin Flux (Jar)



Caig RSF-R80-2 CAIG Rosin Flux (Jar)

CAIG Rosin Soldering Flux, 56 gram jar

SPECS: The RMA paste flux meets DOD-STD-2000 & also the IPC-J-004 standard for

type ROL0 , the lowest residue corrosivity category.

CAIG Rosin Soldering Flux, TYPE RSF-R80

Part No. RSF-R80-2:

Jar, 56 grams

Applicator: Jar

Formulation: WW Gum Rosin, Diethylene Glycol Dibutyl, Dymere Rosin.

Use: Electrical soldering

Notes: General purpose flux for soldering electrical connections. Use CAIG NO-CLEAN Soldering Flux, TYPE RSF-R39 for precision soldering.

Caig DDW-V611 ELECTRONIC CLEANER WASH, Val-U Series

Caig DDW-V611 ELECTRONIC CLEANER WASH, Val-U Series

NEW . . .

CAIG Brand ELECTRONIC CLEANER WASH, Val-U Series Spray, 5.5 oz. / 156 g, fast evaporating and safe on plastics Ergonomic / Easy to Handle.

RoHS and VOC Compliant.

Caig DCC-V511 CONTACT CLEANER WASH, Val-U Series



Caig DCC-V511 CONTACT CLEANER WASH, Val-U Series

NEW . . .

CAIG Brand CONTACT CLEANER WASH, Val-U Series Spray, 5.5 oz. / 156 g, fast evaporating and safe on plastics Ergonomic / Easy to Handle
RoHS and VOC Compliant.

Caig D5S-6-LMH DeoxIT



Caig D5S-6-LMH DeoxIT

DeoxIT D-Series D5 Spray, 5% solution, flushing action, L-M-H adjustable valve, 142 g (182 mL), each
(Applications = 1200 +/-)

Can using the original Low-Med-High (LMH) Adjustable valve

DeoxIT D-Series Contact/Connector Treatment, Deoxidizer, Rejuvenator & Protectant

Part No. D5S-6-LMH (142 g)(182 mL):
Original Low-Med-High Adjustable Valve

Applicator: Spray, provides flushing action, briefly flammable (until solvent evaporates within 2-3 minutes).

Formulation: 5% DeoxIT (active ingredient), 75% odorless mineral spirits (carrier solvent), 20% propellant

Use: Solvent is slower to evaporate, providing flushing action to remove surfaces dirt, grease and other contaminants. Is ideal for connectors and components removed from equipment or those that are easily accessible.

Notes: Use when over spray not an issue. Formulation safe on plastics. Always recommend testing for compatibility, especially on critical/sensitive parts, and vintage equipment with aging ABS plastic(s). On rubber, may swell until solvent evaporates. For quick-dry, non-drip spray, we recommend Part Nos. DN5S-2N and DN5S-6N.

Caig D100L-CPK DeoxIT Cell Phone Connector Cleaner



Caig D100L-CPK DeoxIT Cell Phone Connector Cleaner

DeoxIT Cell Phone Connector Cleaning Kit, D100L Brush Bottle, 100% solution, 1.6 ml,

(Applications = 50 +/- drops, 0.04 ml/drop)

Ideal for connections on your cell phones, PDA s, MP3 Players, Cordless Phones and Mobile Radios.

100% Liquid, No solvents

Applicator: Micro Brush, provides NO flushing action, applies 100% DeoxIT, Great for OEMs or include in service kit.

Formulation: 100% DeoxIT.

Use: When contact and connector are easily accessible. No flushing action.

Notes: Use when over spray is an issue on materials. Formulation safe on plastics. Recommend wiping off excess, leaving a thin layer. After application, if you notice a green or black discoloration (sometimes over time), this indicates it is doing its job (dissolving oxidation) and improving the connection. Wipe off and re-apply DeoxIT.

Caig CCS-503 Screen Cleaning Kit



Caig CCS-503 Screen Cleaning Kit

CAIG Brand Screen Cleaner, white sprayer, 22 oz, with 12 x 12 microfiber cloth.

Specially formulated for LCD, Plasma, CRT, OLED, Touch Screens and Smart Board Screens.



No Alcohol

No Ammonia

No Dirt Build-Up

Non-Streaking

Anti-Static – Repels Dust

Lifts Oil and Finger Prints

Convenient, Safe and Easy to Use

Caig CCS-902 Microfiber Cleaning Cloth



Caig CCS-902 Microfiber Cleaning Cloth

MicroFiber Cleaning Cloth, 6 x 6" Cloth. Ideal for cleaning Cell Phones, PDAs, Laptop & LCD Screens. Digital Cameras, DVDs and other Electronic Equipment.

Caig CCS-2007 DustAll, 7oz.



12/case

Pick up or local delivery in Las Vegas only