Hakko PD-03-D ESD-Safe Manual Desoldering Tool

Hakko PD-03-D ESD-Safe Manual Desoldering Tool

The Hakko PD-03-D manual desoldering tool provides a low cost and effective method for removal of residual solder during desoldering operations. With the press of a button, the spring activated vacuum system sucks the molten solder into the collection chamber, which is easily accessible for removal of solder and cleaning.

The PD-03-D is made of ESD Safe resins.

Weller SM1 Soldering Mate 1LB



Weller TSM1 Soldering Mate 1LB

SOLDERING MATE 1LB SOLDER SM1

Hakko FX888D-29BY/P Digital Soldering Station



Hakko FX888D-29BY/P Digital Soldering Station

Hakko s FX-888D is the updated, digital version of the popular FX-888 and includes several new features-easy to set-up and operate, new password protection, 5 preset temperature storage, and compact design takes up less workbench space.

- Low temperature alarm
- Adjustable temperature control, range: 120° 899°F
- Digital display shows °F or °C
- Ceramic heating element and sensor
- Password protected temperature settings
- Preset mode allows to store 5 preset temperatures
- Slender, lightweight ergonomic design
- Wide selection of tips available
- ESD Safe

Station	
Model Name	FX-888D
Part No.	FX888D-23BY
Power Consumption	70W / 120VAC
Temperature Range	120° - 899°F (50° - 480°C)
Temperature Stability	±1.8°F (1.0°C)
Temperature Control	Closed-Loop Sensor
Dimensions W x H x D	3.9 x 4.7 x 4.7 in. (100 x 120 x 120 mm)
Shipping Dimensions W x H x D	9.5 x 7.0 x 9.5 in. (242 x 178 x 242 mm)
Weight	2.6 lbs. (1.2 kg.)

Shipping Weight	4.7 lbs. (2.13 kg.)	
ESD Safe	Yes	
Country of Origin	MYS	
IPC J-STD-001	Meets or Exceeds requirements	
Soldering Iron – Handpiece		
Model Number	FX-8801	
Part Number	FX8801-02	
Power Consumption	65W / 26VAC	
Тір	T18 Series	
Standard Tip	T18-D16 (shape 1.6D)	
Tip-to-Ground Resistance	< 2 0HMS	
Tip-to-Ground Potential	< 2mV	
Heating Element	Ceramic	
Length of Cord	3.9 ft. (1.2 m)	
Handpiece Length (w/o cord)	8.5 in. (217 mm) w/T18-D16 tip	
Weight (w/o cord)	0.1 lb. (46g) w/ T18-D16 tip	

What's in the box?

Description	Part No.
Soldering Station	FX-888D
Soldering Iron	FX8801-02
Soldering Iron Tip	T18-D16
Iron Holder	FH800-03BY
Cleaning Sponge	A1559
Tip Cleaning Wire	A1561
Instruction Manual	_

Uses T18 tips.

Hakko T19-D65 Beveled Conical Soldering



Hakko T19-D65 Beveled Conical Soldering Tip, R6.5mm \times 18mm, for any soldering work. Works with Hakko FX-601 N2 Soldering Iron

Hakko T19-D5 Conical Chisel Soldering Tip for FX-601



Hakko T19-D5 Conical Chisel Soldering Tip, R5mm x 18mm, for any soldering work. Works with Hakko FX-601 N2 Soldering Iron

Hakko T19-D24 Conical Chisel Soldering Tip for FX-601



Hakko T19-D24 Beveled Conical Soldering Tip, R2.4mm x 18.5mm, for any soldering work. Works with Hakko FX-601 N2 Soldering Iron

NTE J-SSD-2 Solder Station Digital Adjustable 75W 200-450 Deg C with LED Display, Metal Stand and Cleaning Sponge



NTE J-SSD-2 Solder Station Digital Adjustable 75W 200-450 Deg C with LED Display, Metal Stand and Cleaning Sponge

Brand ECG Wattage 75 watts Display Type LCD Included Components Solder Station, iron, stand and sponge

- Industrial Digital Solder Station
- LED display
- 75W
- 200-450 deg C
- 120/220Vac

Weller WLTC04IR60 Solder Conical Tip 3/Bag

Weller WLTC04IR60 Solder Conical Tip 3/Bag

TIP,IRON,CONICAL,0.4 F/WLIR60,3/BAG

Weller WLIR3012A Soldering Iron

Weller WLIR3012A Soldering Iron

IRON, W/LED RING, 30W/120V, NA

Weller PSI5 Solder Chisel Tip 1/32in



Weller TPSI5 Solder Chisel Tip 1/32in

TIP, 1/32" CHISEL,FOR PSI100-PORTASOL

Weller TC205 Cleaning Sponge

Weller TC205 Cleaning Sponge

Soldering Stand Cleaning Sponge

Weller SP40NKUS Soldering Iron Kit

Weller SP40NKUS Soldering Iron Kit

SOLDERING IRON KIT

Weller PSI100C Self-Igniting Solder Iron

Weller PSI100C Self-Igniting Solder Iron

PORTASOL SELF-IGNITING IRON, CARDED

Weller MT1 Solder Tip 4mm

Weller MT1 Solder Tip 4mm

WELLER SOLDER TIP 4MM A

Weller ETU Solder Single Flat Tip, .015in

Weller ETU Solder Single Flat Tip, .015in

TIP, SINGLE FLAT, .015"

Weller ETR Solder Screwdriver Tip Narrow 1/16in

Weller ETR Solder Screwdriver Tip Narrow 1/16in

TIP,NARROW SCREWDRIVER,1/16"

Weller ETP Solder Conical Tip Taper 1/32in

Weller ETP Solder Conical Tip Taper 1/32in

TIP,CONICAL,1/32["],TAPER

Weller ETO Solder Conical Tip 1/32in



Weller ETO Solder Conical Tip 1/32in

TIP,LONG CONICAL,1/32"