

NEW! Nitecore Tiny Monster TM28 6000 Lumen Rechargeable LED Flashlight



NEW! Nitecore Tiny Monster TM28 6000 Lumen Rechargeable LED Flashlight

You need to see this! Turn off the lights in the room, and this Tiny Monster will light it up like daylight.

Buy 2, \$299.94 each.

The Nitecore TM28 is here and ready to light up the sky. It boasts a blinding 6000 lumens, capable of up to 716 yards throw, all condensed into a palm-sized package. The TM28 utilizes four CREE XHP35 HI LEDs to combine for 107,200 candelas, making it an ideal flashlight for search and rescue operations. Users can effortlessly select from 5 brightness settings, 3 special functions and 2 mode settings with the easy to operate single button user interface.

Get real-time updates about battery status, brightness level and temperature from the on board OLED display, and when it's time to recharge, simply plug in the included AC adapter and the intelligent charging circuit will choose the appropriate charging mode based on battery type.

- LED: 4 x CREE XHP35 HI
- Battery: 4 x IMR or Li-ion 18650 Batteries (4x 3100mAh IMR18650 included)
- Maximum Output: 6000 lumens
- Output/Runtimes (with IMR18650 batteries)
 - Turbo: 6000 lumens / 45 min
 - High: 2300 lumens / 2 h
 - Mid: 1000 lumens / 4 h 30 min
 - Low: 320 lumens / 11 h 15 min
 - Lower: 2 lumens / 1000 h
- Peak Beam Intensity: 107,200 cd
- Beam Distance: 716 yd / 655m
- Dimensions:
 - Length: 5.59"
 - Head: 2.23" x 2.23"
 - Tail: 1.97"
- Weight: 14.6oz (excluding batteries)
- Waterproof: IPX8
- Impact Resistance: 1m

Features:

- Rechargeable searchlight
- Utilizes 4 CREE XHP35 HI LEDs, max output up to 6000 lumens
- Powered by 4 18650 batteries, compatible with li-ion/IMR batteries
- Max run time up to 1000 hours
- Max throw up to 655 meters
- On-board OLED display provides real-time data for brightness, battery power, voltage
- Reflectors with PDOT incorporated
- Intelligent charging circuit
- Temperature regulation to prevent overheating
- 5 brightness levels and 3 special functions available
- Dual-stage multi-functional single switch provides access to all functions (Patent No. ZL201120062948.1)
- Built-in power indicator to report battery level (Patent No. ZL201220057767.4)
- On-board tripod receptacle
- Mineral optic lenses with anti-reflective coating
- Retaining rings protect core components from damages
- Made from aerospace grade aluminium alloy
- HAIIII hard anodizing
- Waterproof in accordance with IPX8 (2 meters submersible)
- Tail stand

Package Contents: Nitecore TM28 flashlight, 4 x 3100mAh IMR 18650 batteries, AC adapter, lanyard, holster, spare o-ring, spare charging port cover, flat top battery connector
User Manual